EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	44	(estimat$4 calculat$4) near5 (future near2 (power consum$6))	USPAT; EPO	OR	OFF	2006/09/13 08:47
L2	102	(estimat$4 calculat$4) near5 (future near2 (power consum$6))	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/13 08:48
L3	4	(estimat$4 calculat$4) near5 (future near2 (power consum$6)) and 713/3$.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/13 09:07
L4	26	power adj broker$1	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/13 09:08
L5	0	power adj broker$1 and 713/3$.ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/13 09:08
S1	6	(consum$6 near2 most near2 power) near7 determin$4	USPAT; EPO	OR	OFF	2006/08/22 10:13
S2	13	(consum$6 near2 most near2 power) near7 determin$4	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/08/22 09:37
S3	5	("20030135288"|"200301560 74"|"5655126"|"6456016"|"6 697953").PN.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/06 14:07
S4	2	("5598565" "6801811").pn.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/08/22 09:32
S5	17	(consum$6 near2 most near2 power) near7 (determin$4 calculat$5)	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/08/22 09:57
S6	6	"108768".ap.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/08/22 09:57
S7	1	"7030832".pn.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/08/22 09:58
S8	1	"7030837".pn.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/08/22 09:58
S9	15	(secondary backup) near2 (display lcd) and 713/3$.ccls.	USPAT; EPO	OR	OFF	2006/08/22 10:07

EAST Search History

S10	2	(secondary backup) near2 (display lcd) same conserv$6	USPAT; EPO	OR	OFF	2006/09/12 08:57
S11	1393	(secondary backup) near2 (display lcd)	USPAT; EPO	OR	OFF	2006/08/22 10:12
S12	9	((consum$6 usage) near2 power) near7 determin$4 same substitut$5	USPAT; EPO	OR	OFF	2006/08/22 10:13
S13	3	((consum$6 usage) near2 power) near7 determin$4 same substitut$5 and g06f$. ipc.	USPAT; EPO	OR	OFF	2006/08/22 10:50
S14	14	((consum$6 usage) near2 power) near7 determin$4 same instead and g06f$.ipc.	USPAT; EPO	OR	OFF	2006/08/22 10:28
S15	64	oprescu.in.	USPAT; EPO	OR	OFF	2006/08/22 10:28
S16	3	oprescu.in. and 713/3$.ccls.	USPAT; EPO	OR	OFF	2006/08/22 10:29
S17	33788	power adj requirement$1	USPAT; EPO	OR	OFF	2006/08/22 10:50
S18	47	((consum$6 usage) near2 power) near7 determin$4 same alternat$5 and g06f$. ipc.	USPAT; EPO	OR	OFF	2006/08/22 10:51
S19	2282	713/32$.ccls.	USPAT; EPO	OR	OFF	2006/08/23 08:36
S20	306	713/32$.ccls. and substitut$5	USPAT; EPO	OR	OFF	2006/08/23 08:38
S21	15	713/32$.ccls. and substitut$5 near4 device$1	USPAT; EPO	OR	OFF	2006/08/23 08:39
S22	15	713/32$.ccls. and substitut$5 near4 device$1	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/08/23 08:39
S23	37	cai.in. and cpu	USPAT; EPO	OR	OFF	2006/08/23 15:59
S24	5	cai.in. and "713"/$.ccls.	USPAT; EPO	OR	OFF	2006/08/23 16:12
S25	1162	estimat$5 near3 consumption	USPAT; EPO	OR	OFF	2006/08/23 16:12
S26	46	estimat$5 near3 consumption and 713/3$.ccls.	USPAT; EPO	OR	OFF	2006/08/23 16:13

EAST Search History

S27	92	estimat$5 near3 consumption and 713/3$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/23 16:13
S28	52	estimat$5 near3 consumption and 713/32$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/23 16:16
S29	0	estimat$5 near3 consumption same substitut$5 and 713/32$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/23 16:16
S30	20	estimat$5 near3 consumption same substitut$5	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/23 16:17
S31	130	estimat$5 near3 power same substitut$5	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/23 16:17
S32	3	estimat$5 near3 power same substitut$5 and 713/3$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/23 16:22
S33	5	(calculat$4) near3 power same substitut$5 and 713/3$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/23 16:24
S34	1	(calculat$4) near3 consum$6 same substitut$5 and 713/3$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/23 16:24
S35	1	(calculat$4 estimat$6) near3 consum$6 same substitut$5 and 713/3$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/23 16:24
S36	1	reassign$4 near3 task$1 and 713/3$.ccls.	USPAT; EPO	OR	OFF	2006/09/06 08:18
S37	2	reassign$4 near3 task$1 and 713/3$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 08:19
S38	0	reassign$4 near3 (different another) and 713/3$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 08:19
S39	1005	reassign$4 near3 (different another)	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 08:19
S40	37	reassign$4 near3 (different another) same power	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 08:21

EAST Search History

S41	37	less adj power with substitut$5	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 08:21
S42	11	less adj power near4 substitut$5	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 08:21
S43	4	"830217".ap.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 08:51
S44	14184	usage with power	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 08:51
S45	634	usage with power and 713/3$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 08:51
S46	7	model near5 (usage with power) and 713/3$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 08:53
S47	1819	alternativ$4 near6 low$3 near2 power	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 08:53
S48	56	alternativ$4 near6 low$3 near2 power and 713/3$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 08:54
S49	56	alternativ$4 near6 (low$3 near2 power) and 713/3$. ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 08:58
S50	3	oprescu.in. and 713/3$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 09:02
S51	372	measur$4 near2 power and 713/3$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 09:57
S52	1035	monitor$4 near2 power and 713/3$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 09:57
S53	79	(monitor$4 near2 power) near4 (devices peripherals) and 713/3$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 09:58
S54	109	(monitor$4 near2 power) near4 (devices peripherals components) and 713/3$. ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 10:10

EAST Search History

S55	49	(monitor$4 near2 power) near4 (devices peripherals components) and 713/32$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 10:20
S56	1	(monitor$4 near2 power) near4 (devices peripherals components) same (list$1 table$1) and 713/32$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 10:11
S57	1	(monitor$4 near2 power) near4 (devices peripherals components) same (list$1 table$1) and 713/3$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 10:11
S58	53	((measur$5 determin$4) near2 power) near4 (devices peripherals components) and 713/32$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 10:21
S59	60	((measur$5 determin$4 calculat$6) near2 power) near4 (devices peripherals components) and 713/32$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 10:30
S60	12	((measur$5 determin$4 calculat$6) near2 power) near4 (devices peripherals components) same (off sleep) and 713/32$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 10:31
S61	13	((measur$5 determin$4 calculat$6) near2 power) near4 (devices peripherals components) same (off sleep suspend) and 713/32$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 10:44
S62	18	((measur$5 determin$4 calculat$6) near2 power) near4 (devices peripherals components) and 713/324.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 10:43
S63	35	((monitor$4 measur$5 determin$4 calculat$6) near2 power) near4 (devices peripherals components) and 713/324.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 10:43

S64	15	((monitor$4 measur$5 determin$4 calculat$6) near2 power) near4 (devices peripherals components) same (off sleep suspend) and 713/324.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 10:49
S65	4	((most highest) near2 power) near4 (device$1 peripheral$1 component$1) near5 (off sleep suspend) and 713/324.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 13:01
S66	0	((most highest) near2 energy) near4 (device$1 peripheral$1 component$1) near5 (off sleep suspend) and 713/324.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/09/06 13:16
S67	1	"6912664".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/09/06 14:56
S69	61	((power adj aware power$1aware) (energy adj aware energy$1aware))	USPAT; EPO	OR	OFF	2006/09/06 14:58
S70	149	((power adj aware power$1aware) (energy adj aware energy$1aware))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/09/06 14:58
S71	41	((power adj aware power$1aware) (energy adj aware energy$1aware)) and 713/3$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/09/06 14:58
S72	30	((power adj aware power$1aware) (energy adj aware energy$1aware)) and 713/32$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/09/06 15:42
S73	10	((power adj aware power$1aware) (energy adj aware energy$1aware)) same (sleep suspend)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/09/06 15:25
S74	41	((power adj aware power$1aware) (energy adj aware energy$1aware)) and 713/3$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/09/06 15:56

S75	46	((power adj aware power$1aware) (energy adj aware energy$1aware)) same (device$1 peripheral$1 component$1)	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/06 16:10
S76	77	Ranganathan.in.	EPO; JPO	OR	OFF	2006/09/06 16:04
S77	5	Ranganathan.in. and power	EPO; JPO	OR	OFF	2006/09/06 16:04
S78	40	((power adj aware power$1aware) (energy adj aware energy$1aware)) same (identif$4 monitor$4 measur$5 determin$4 calculat$6)	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/06 16:11
S79	17	((power adj aware power$1aware) (energy adj aware energy$1aware)) with (identif$4 monitor$4 measur$5 determin$4 calculat$6)	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/07 12:56
S80	1	(power$1aware power adj aware energy$1aware energy adj aware) same (secondary aux auxiliary)	USPAT; EPO	OR	OFF	2006/09/07 11:21
S81	0	(power$1aware power adj aware energy$1aware energy adj aware) same (sustitut$5)	USPAT; EPO	OR	OFF	2006/09/07 11:22
S82	0	(power$1aware power adj aware energy$1aware energy adj aware) same (substitut$5)	USPAT; EPO	OR	OFF	2006/09/07 11:22
S83	2977	switch$5 near5 low$2 adj power	USPAT; EPO	OR	OFF	2006/09/07 11:23
S84	30	switch$5 near5 low$2 adj power near5 display	USPAT; EPO	OR	OFF	2006/09/07 11:23
S85	12	switch$5 near5 low$2 adj power near5 display and g06f$.ipc.	USPAT; EPO	OR	OFF	2006/09/07 11:24
S86	46	switch$5 near5 low$2 adj power near5 (cpu processor micro$1processor display) and g06f$.ipc.	USPAT; EPO	OR	OFF	2006/09/07 11:24

EAST Search History

S87	4	(US-20030156074-$ or US-20030135288-$ or US-20050240786-$).did. or (US-6912664-$).did.	US-PGPUB ; USPAT	OR	OFF	2006/09/07 11:49
S88	4	(US-20030156074-$ or US-20030135288-$ or US-20050240786-$).did. or (US-6912664-$).did. and future	US-PGPUB ; USPAT	OR	OFF	2006/09/07 11:49
S89	4	((US-20030156074-$ or US-20030135288-$ or US-20050240786-$).did. or (US-6912664-$).did.) and future	US-PGPUB ; USPAT	OR	OFF	2006/09/07 12:33
S90	3	("5758269" "6801777" "5870685").pn.	US-PGPUB ; USPAT	OR	OFF	2006/09/07 12:34
S91	3	(US-6801777-$ or US-5870685-$ or US-5758269-$).did.	USPAT	OR	OFF	2006/09/07 12:37
S92	1	(US-6801777-$ or US-5870685-$ or US-5758269-$).did. and measure	USPAT	OR	OFF	2006/09/07 12:37
S93	1	(US-6801777-$ or US-5870685-$ or US-5758269-$).did. and measur$4	USPAT	OR	OFF	2006/09/07 12:37
S94	12	("5125610" | "5168423" | "5206790" | "5438530" | "5475626" | "5559670" | "5949673" | "6076786" | "6198624" | "6275376").PN. OR ("6532149").URPN.	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/09/07 12:39
S95	22	((power adj aware power$1aware) (energy adj aware energy$1aware)) with (peripheral$1 device$1 component$1) and batter$5	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/07 13:02
S96	10	"6836849"	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/07 13:02
S97	1	"6836849".pn.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/07 13:02

S98	25	("5484012" | "5502838" | "5752011" | "5798918" | "5881298" | "5906315" | "5940785" | "6000036" | "6029251" | "6052268" | "6119241" | "6157989" | "6397343" | "6560658" | "6639883" | "6718474").PN. OR ("6836849").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/07 13:23
S99	4	S98 and batter$4	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/07 13:26
S100	470	713/3$.ccls. and (threshold$1 level$1) near4 batter$5	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/07 13:27
S101	12	713/3$.ccls. and (threshold$1 level$1) near4 batter$5 and (power$1aware power adj aware energy$1aware energy adj aware)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/07 13:30
S102	32704	measur$5 near5 (power voltage current) near5 (device$1 peripheral$1 component$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/07 13:32
S103	8856	measur$5 near5 (power voltage current) near5 (devices peripherals components)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/07 13:32
S104	175	measur$5 near5 (power voltage current) near5 (devices peripherals components) and batter$4 near2 (level$1 threshold$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/07 13:33
S105	12	measur$5 near5 (power voltage current) near5 (devices peripherals components) and batter$4 near2 (level$1 threshold$1) with (reduc$5 conserv$6 suspend$4 sleep$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/07 13:35

EAST Search History

S106	27912	(power voltage current) near5 (devices peripherals components) with (disabl$4 reduc$5 conserv$6 suspend$4 sleep$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/07 13:36
S107	1206	(power voltage current) near5 (devices peripherals components) with (disabl$4 reduc$5 conserv$6 suspend$4 sleep$4) and 713/3$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/07 13:36
S108	1017	(power voltage current) near5 (devices peripherals components) near5 (disabl$4 reduc$5 conserv$6 suspend$4 sleep$4) and 713/3$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/07 13:36
S109	659	(power voltage current) near3 (devices peripherals components) near3 (disabl$4 reduc$5 conserv$6 suspend$4 sleep$4) and 713/3$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/07 13:37
S110	304	(consum$7) near2 (power voltage current) near3 (devices peripherals components) near3 (disabl$4 reduc$5 conserv$6 suspend$4 sleep$4) and 713/3$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/07 13:37
S111	300	(consum$7) near2 (power) near3 (devices peripherals components) near3 (disabl$4 reduc$5 conserv$6 suspend$4 sleep$4) and 713/3$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/07 13:38
S112	31	(consum$7) near2 (power) near3 (devices peripherals components) near3 (disabl$4 suspend$4 sleep$4) and 713/3$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/07 13:38
S113	1522	power adj budget	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/09/12 09:52

EAST Search History

S11 4	13	power adj budget with measur$4	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/12 08:57
S11 5	148	power adj budget same batter$5	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/12 09:52
S11 6	42	power adj budget same batter$5 and g06f$.ipc.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/12 09:53
S11 7	11	power adj budget same batter$5 same (sleep suspend$4 off throttl$4) and g06f$.ipc.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/12 10:15
S11 8	4869	profil$4 near2 power	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/12 10:16
S11 9	88	profil$4 near2 power and 713/3$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/12 10:19
S12 0	44	profil$4 near2 power and 713/32$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/12 11:07
S12 1	410	priority near4 power near2 consum$6	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/12 11:08
S12 2	39	priority near4 power near2 consum$6 and 713/3$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/12 11:08
S12 3	1	(US-20030156074-$).did.	US-PGPUB	OR	OFF	2006/09/12 11:51
S12 4	0	(US-20030156074-$).did. and metric$1 same select$4	US-PGPUB	OR	OFF	2006/09/12 11:52
S12 5	314	encryption near5 power	USPAT; EPO	OR	OFF	2006/09/12 13:35
S12 6	7	encryption near5 power and 713/3$.ccls.	USPAT; EPO	OR	OFF	2006/09/12 12:13
S12 7	7	pass$4 with encryption near5 power	USPAT; EPO	OR	OFF	2006/09/12 12:59
S12 8	41	pass$2 with encryption same power	USPAT; EPO	OR	OFF	2006/09/12 13:01
S12 9	0	pass$2 with encryption same power and 713/3$.ccls.	USPAT; EPO	OR	OFF	2006/09/12 12:59

EAST Search History

S13 0	2645	low adj power near5 (processor$1 cpu micro$1processor$1)	USPAT; EPO	OR	OFF	2006/09/12 13:01
S13 1	1473	low adj power near2 (processor$1 cpu micro$1processor$1)	USPAT; EPO	OR	OFF	2006/09/12 13:02
S13 2	271	low adj power near2 (processor$1 cpu micro$1processor$1) and 713/3$.ccls.	USPAT; EPO	OR	OFF	2006/09/12 13:05
S13 3	432	low adj power near2 (processor$1 cpu micro$1processor$1) and 713/3$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/12 13:05
S13 4	18	(high adj power) with low adj power near2 (processor$1 cpu micro$1processor$1) and 713/3$.ccls.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2006/09/12 13:05
S13 5	16	(US-20040054937-$ or US-20050240786-$ or US-20030156074-$ or US-20030135288-$ or US-20040268166-$).did. or (US-6912664-$ or US-6631474-$ or US-6836849-$ or US-6532149-$ or US-6804632-$ or US-5752046-$ or US-6948082-$ or US-7030837-$ or US-5532935-$ or US-6928564-$ or US-6925573-$).did.	US-PGPUB ; USPAT	OR	OFF	2006/09/12 13:20
S13 6	0	S135 and batter$4 with uni$1processor$1	US-PGPUB ; USPAT	OR	OFF	2006/09/12 13:20
S13 7	1	extent near5 encryption near5 power	USPAT; EPO	OR	OFF	2006/09/12 13:34
S13 8	4	encryption near5 power near2 conserv$6	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/12 13:35
S13 9	36	encryption near5 power near2 (reduc$4 conserv$6)	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/12 13:35

EAST Search History

S14 0	36	encrypti$3 near5 power near2 (reduc$4 conserv$6)	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/12 13:35
S14 1	39	encrypt$4 near5 power near2 (reduc$4 conserv$6)	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/12 13:54
S14 2	56	encrypt$4 near3 level$1 with (power energy)	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/12 13:55
S14 3	1	encrypt$4 near3 level$1 with (power energy) and 713/3$. ccls.	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/12 13:55
S14 4	43	(encrypt$4 near3 level$1) near6 (power energy)	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/12 14:01
S14 5	15	(encrypt$4 near level$1) near6 (power energy)	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/12 13:56
S14 6	1	determin$4 near2 (encrypt$4 near3 level$1) near6 (power energy)	US-PGPUB ; USPAT; EPO	OR	OFF	2006/09/12 14:01
S14 7	1	"6501999".pn.	USPAT; EPO	OR	OFF	2006/09/13 08:47